



#### **BR30 MODELS**

MODEL NO.	INPUT POWER (W)	сст	DELIVERED LIGHT OUTPUT (LM)
BR30-11W30KDH-L4-LS	11	3000K	800
BR30-11W40KDH-L4-LS	11	4000K	800
BR30-11W50KDH-L4-LS	11	5000K	800

# **Dimmable** LED BR30



90+

Forest Lighting dimmable LED BR30 bulb is ideal for hotels, restaurants, apartments and other residential buildings. Its typical Color Rendering Index of 92 makes colors more vibrant and richer in the environment it illuminates. By providing over 800lm while consuming only 11W, it replaces 65W incandescent lamps and saves tremendous amount of energy.

#### **FEATURES & BENEFITS**

- Ideal for hotels, restaurants, apartments and other residential buildings. CRI
- CRI >90, R9=56
- Equivalent to 65W incandescent
- Rated lifetime of 25,000 Hrs





#### LISTINGS AND CERTIFICATIONS







# **Dimmable LED BR30**


### **SPECIFICATION INFORMATION**

Input Power	11W
Input Voltage	120V / 60Hz
Input Current	0.09A
Power Factor	> 0.9
Base Type	E26

### **OPTICAL SPECIFICATIONS**

Correlated Color Temperture (CCT)	3000K, 4000K, 5000K	
Color Rendering Index	>90, R9=56	
Luminous Flux	800 lm	
Efficacy	73lm/W	
Beam Angle	120°	

#### **MECHANICAL SPECIFICATIONS**




## **ORDERING INFORMATION**

Example: BR30-11W30KDH-L4-LS

Product	Nominal Input Power	CCT	DH-L4-LS
BR30	<b>11W</b> 11W	<b>30K</b> 3000K	
		<b>40K</b> 4000K	
		<b>50K</b> 5000K	

# **Dimmable LED BR30**

## **PHOTOMETRY**



### **Performance Data**

Delivered Lumens (lms)	881	
Input Wattage (W)	10.27	
Efficacy (LpW)	85.8	
Voltage (V)	120	