



# FOREST LIGHTING

Sustainable illumination



## Dimmable LED PAR38



Dimmable

Forest Lighting dimmable LED PAR38 bulb is perfect for track lighting, recessed downlighting, ambient and accent lighting applications. Its Color Rendering Index of 92 makes colors more vibrant and richer in the environment it illuminates. By providing over 1050lm while consuming only 15W, it replaces 100W PAR38 lamps and saves tremendous amount of energy.

### FEATURES & BENEFITS

- Ideal for track lighting, recessed downlighting, ambient and accent lighting
- CRI >90, R9=56
- Equivalent to 100W PAR38
- Energy Star listed for rebates



### PAR38 MODELS

MODEL NO.	INPUT POWER (W)	CCT	DELIVERED LIGHT OUTPUT (LM)
PAR38-15W30KDH-L4-LS	15	3000K	1050
PAR38-15W40KDH-L4-LS	15	4000K	1050
PAR38-15W50KDH-L4-LS	15	5000K	1050

WARRANTY



### LISTINGS AND CERTIFICATIONS



# Dimmable LED PAR38


## SPECIFICATION INFORMATION

Input Power	15W (100W equivalent)
Input Voltage	120V / 60Hz
Input Current	0.129A
Power Factor	> 0.9
Base Type	E26

## OPTICAL SPECIFICATIONS

Correlated Color Temperature (CCT)	3000K, 4000K, 5000K
Color Rendering Index	>90, R9=56
Luminous Flux	1050 lm
Efficacy	70lm/W
Beam Angle	40°, Flood

## MECHANICAL SPECIFICATIONS




## ORDERING INFORMATION

Example: PAR38-15W30KDH-L4-LS

Product	Nominal Input Power	CCT	DH-L4-LS
PAR38	<b>15W</b> 15W	<b>30K</b> 3000K	
		<b>40K</b> 4000K	
		<b>50K</b> 5000K	

# Dimmable LED PAR38

## PHOTOMETRY



### Performance Data

Delivered Lumens (lms)	1266
Input Wattage (W)	14.56
Efficacy (LpW)	86.9
Luminous Intensity (cd)	2182
Voltage (V)	120