



Dimmable LED PAR38



Dimmable

Forest Lighting dimmable LED PAR38 bulb is perfect for track lighting, recessed downlighting, ambient and accent lighting applications. Its Color Rendering Index of 92 makes colors more vibrant and richer in the environment it illuminates. By providing over 1050lm while consuming only 15W, it replaces 100W PAR38 lamps and saves tremendous amount of energy.

FEATURES & BENEFITS

- Ideal for track lighting, recessed downlighting, ambient and accent lighting Three different beam angles (60°, 90°, 120°)
- CRI >90
- Equivalent to 100W PAR38



WARRANTY

3 Year Warranty



PAR38 MODELS

MODEL NO.	INPUT POWER (W)	CCT	DELIVERED LIGHT OUTPUT (LM)
PAR38-15W30KDH-L4-LS	15	3000K	1050
PAR38-15W40KDH-L4-LS	15	4000K	1050
PAR38-15W50KDH-L4-LS	15	5000K	1050

LISTINGS AND CERTIFICATIONS



Dimmable LED PAR38


SPECIFICATION INFORMATION

Input Power	15W
Input Voltage	120V / 60Hz
Input Current	0.129A
Power Factor	> 0.9
Base Type	E26

OPTICAL SPECIFICATIONS

Correlated Color Temperature (CCT)	3000K, 4000K, 5000K
Color Rendering Index	>90
Luminous Flux	1050 lm
Efficacy	70lm/W
Beam Angle	40°, Flood

MECHANICAL SPECIFICATIONS




ORDERING INFORMATION

Example: PAR38-15W30KDH-L4-LS

Product	Nominal Input Power	CCT	DH-L4-LS
PAR38	15W 15W	30K 3000K	
		40K 4000K	
		50K 5000K	

Dimmable LED PAR38

PHOTOMETRY



Performance Data

Delivered Lumens (lms)	1266
Input Wattage (W)	14.56
Efficacy (LpW)	86.9
Luminous Intensity (cd)	2182
Voltage (V)	120